

Papers in other journals

Compiled by Becky Aston, Rosie Butler, Gill Brook, Roberta Eales, Helen Forth, Rachel Grubb, Emma Hammerton, Claire-Anne Head and Jo Whitehead

Obstetrics

- Balchin I., Whittaker J. C., Patel R. R., Lamont R. F. & Steer P. J. (2007) Racial variation in the association between gestational age and perinatal mortality: prospective study. *British Medical Journal* **334** (7598), 833–836.
- Bø K., Haakstad L. & Voldner N. (2007) Do pregnant women exercise their pelvic floor muscles? *International Urogynaecology Journal* **18** (7), 733–736.
- Bonell C., Fletcher A. & McCambridge J. (2007) Improving school ethos may reduce substance misuse and teenage pregnancy. *British Medical Journal* **334** (7594), 614–616.
- Britton J. (2007) Postpartum anxiety and breastfeeding. *The Journal of Reproductive Medicine* **52** (8), 689–695.
- Bukowski R., Smith G. C. S., Malone F. D., et al. (2007) Fetal growth in early pregnancy and risk of delivering low birth weight infant: prospective cohort study. *British Medical Journal* **334** (7598), 836–838.
- Burns E., Zobbi V., Panzeri D., Oskrochi R. & Regalia A. (2007) Aromatherapy in childbirth: a pilot randomised controlled trial. *BJOG: An International Journal of Obstetrics and Gynaecology* **114** (7), 838–844.
- Chalidis B., Fahel L. A., Glanville T., et al. (2007) Management and reconstruction of pelvic instability after emergency symphysiotomy. *International Journal of Gynecology and Obstetrics* **98** (3), 264–266.
- Chu S. Y., Kim S. Y., Lau J., et al. (2007) Maternal obesity and risk of stillbirth: a metaanalysis. *American Journal of Obstetrics and Gynecology* **197** (3), 223–228.
- Crofts J. F., Ellis D., James M., et al. (2007) Pattern and degree of forces applied during simulation of shoulder dystocia. *American Journal of Obstetrics and Gynecology* **197** (2), 156.e1–156.e6.
- Cumming G. P., Klein S., Bolsover D., et al. (2007) The emotional burden of miscarriage for women and their partners: trajectories of anxiety and depression over 13 months. *BJOG: An International Journal of Obstetrics and Gynaecology* **114** (9), 1138–1145.
- Dietz H. P., Gillespie A. V., Phadke P. (2007) Avulsion of the pubovisceral muscle associated with large vaginal tear after normal vaginal delivery at term. *International Journal of Gynecology and Obstetrics* **98** (2), 341–344.
- Farnworth A. & Pearson P. (2007) Choosing mode of delivery after previous caesarean birth. *British Journal of Midwifery* **15** (4), 188–194.
- Gagnon A. J., Meier K. M. & Waghorn K. (2007) Continuity of nursing care and its link to caesarean birth rate. *Obstetrical and Gynecological Survey* **62** (8), 506–507.
- Gerdin E., Sverrisdottir G., Badi A., et al. (2007) The role of maternal age and episiotomy in the risk of anal sphincter tears during childbirth. *International Journal of Gynecology and Obstetrics* **98** (2), 286–290.
- Gould D. (2007) Rising caesarean section rates: the power of mass suggestion. *British Journal of Midwifery* **15** (7), 398.
- Gray G. E. & McIntyre J. A. (2007) Pregnancy plus: HIV and pregnancy. *British Medical Journal* **334** (7600), 950–953.
- Malata A., Hauck Y., Monterosso L. & McCaul K. (2007) Development and evaluation of a childbirth education programme for Malawian women. *Journal of Advanced Nursing* **59** (1), 67–78.
- Montgomery A. A., Emmett C. L., Fahey T., et al. for the DIAMOND Study Group (2007) Two decision aids for mode of delivery among women with previous caesarean section: randomised controlled trial. *British Medical Journal* **334** (7607), 1305–1309.
- Mutema E. (2007) A tale of two cities: auditing midwifery practice and perineal trauma. *British Journal of Midwifery* **15** (8), 494–499.
- Odibo L. (2007) Does epidural analgesia affect the second stage of labour? *British Journal of Midwifery* **15** (7), 429–434.
- O'Keane V. & Marsh M. S. (2007) Pregnancy plus: depression during pregnancy. *British Medical Journal* **334** (7601), 1003–1005.
- O'Leary C. M., de Klerk N., Keogh J., et al. (2007) Trends in mode of delivery during 1984–2003: can they be explained by pregnancy and delivery complications? *BJOG: An International Journal of Obstetrics and Gynaecology* **114** (7), 855–864.
- Rey E. & Boulet L.-P. (2007) Asthma in pregnancy. *British Medical Journal* **334** (7593), 582–585.

- Rozenholc A. T., Ako S. N., Leke R. J. & Boulvain M. (2007) The diagnostic accuracy of external pelvimetry and maternal height to predict dystocia in nulliparous women: a study in Cameroon. *BJOG: An International Journal of Obstetrics and Gynaecology* **114** (5), 630–635.
- Ryding E. L., Wirfelt E., Wangborg I. B., Sjogren B. & Edman G. (2007) Personality and fear of childbirth. *Acta Obstetrica et Gynecologica Scandinavica* **86** (7), 814–820.
- Shin H. S., Song Y. A. & Seo S. (2007) Effect of Nei-Guan point (P6) acupressure on ketonuria levels, nausea and vomiting in women with hyperemesis gravidarum. *Journal of Advanced Nursing* **59** (5), 510–519.
- Smith G. C. S., Shah I., Pell J. P., Crossley J. A. & Dobbie R. (2007) Maternal obesity in early pregnancy and risk of spontaneous and elective preterm deliveries: a retrospective cohort study. *Obstetrical and Gynecological Survey* **62** (5), 299–300.
- Steen M. (2007) Perineal tears and episiotomy: how do wounds heal? *British Journal of Midwifery* **15** (5), 273–279.
- Su L.-L., Chong Y.-S., Chan Y.-H., et al. (2007) Antenatal education and postnatal support strategies for improving rates of exclusive breast feeding: randomized controlled trial. *British Medical Journal* **334** (7620), 596–599.
- Teo R., Punter J., Abrams K., Mayne C. & Tincello D. (2007) Clinically overt postpartum urinary retention after vaginal delivery: a retrospective case-control study. *International Urogynaecology Journal* **18** (5), 521–524.
- Wellcock V. & Crichton M. (2007) Symphysis pubis dysfunction women's experience of care. *British Journal of Midwifery* **15** (8), 494–499.
- Whapshott H. C. (2007) Antenatal assessment for risk of venous thromboembolism. *British Journal of Midwifery* **15** (9), 545–549.
- Zanetti-Dallenbach R., Lapaire O., Maertens A., Holzgreve W. & Hosli I. (2007) Water birth, more than a trendy alternative: a prospective, observational study. *Obstetrical and Gynecological Survey* **62** (4), 222–223.
- tension-free vaginal tape. *American Journal of Obstetrics and Gynecology* **195** (6), 1820–1825.
- Bjelic-Radisic V., Dorfer M., Greimel E., et al. (2006) Quality of life and continence 1 year after the tension-free vaginal tape operation. *American Journal of Obstetrics and Gynecology* **195** (6), 1784–1788.
- Carey M. P., Goh J. T., Rosamilia A., et al. (2006) Laparoscopic versus open Burch colposuspension: a randomised controlled trial. *British Journal of Obstetrics and Gynaecology* **113** (11), 999–1006.
- Casale A. J., Metcalfe P. D., Kaefer M. A., et al. (2006) Total continence reconstruction: a comparison to staged reconstruction of neuropathic bowel and bladder. *Journal of Urology* **176** (4, Suppl. 1), 1712–1715.
- Daneshgari F., Moore C., Frinjari H., et al. (2006) Patient related risk factors for recurrent stress urinary incontinence surgery in women treated at a tertiary care center. *Journal of Urology* **176** (4), 1493–1499.
- Dean N., Herbison P., Ellis G. & Wilson D. (2006) Laparoscopic colposuspension and tension-free vaginal tape: a systematic review. *British Journal of Obstetrics and Gynaecology* **113** (12), 1345–1353.
- Dumville J. C., Manca A., Kitchener H. C., et al. (2006) Cost-effectiveness analysis of open colposuspension versus laparoscopic colposuspension in the treatment of urodynamic stress incontinence. *British Journal of Obstetrics and Gynaecology* **113** (11), 1014–1022.
- Falkert A. & Seelbach-Göbel B. (2006) TVT versus TOT for surgical treatment of female stress urinary incontinence. *International Journal of Gynecology and Obstetrics* **96** (1), 40–41.
- Flynn M. K., Weidner A. C. & Amundsen C. L. (2006) Sensory nerve injury after uterosacral ligament suspension. *American Journal of Obstetrics and Gynecology* **195** (6), 1869–1872.
- Foote A. J., Maughan V. & Carne C. (2006) Laparoscopic colposuspension versus vaginal suburethral slingplasty: a randomised prospective trial. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **46** (6), 517–520.
- Holub Z., Mara M. & Eim J. (2006) Laparoscopic uterine artery occlusion versus uterine fibroid embolization. *International Journal of Gynecology and Obstetrics* **96** (1), 44–45.
- Juma S. & Brito S. G. (2007) Transobturator tape (TOT): two years follow-up. *Neurourology and Urodynamics* **26** (1), 37–41.
- Kiddoo D. A., Canning D. A., Snyder H. M., III, et al. (2006) Urethral dilation as treatment for neurogenic bladder. *Journal of Urology* **176** (4, Suppl. 1), 1831–1834.

- Kitchener H. C., Dunn G., Lawton V., *et al.* (2006) Laparoscopic versus open colposuspension – results of a prospective randomised controlled trial. *British Journal of Obstetrics and Gynaecology* **113** (11), 1007–1013.
- Kitchens D. M., Minevich E., DeFoor W. R., *et al.* (2007) Incontinence following bladder neck reconstruction – is there a role for endoscopic management? *Journal of Urology* **177** (1), 302–305.
- Koh C. J., DeFilippo R. E., Borer J. G., *et al.* (2006) Bladder and external urethral sphincter function after prenatal closure of myelomeningocele. *Journal of Urology* **176** (5), 2232–2236.
- LaSala C. A., Schimpf M. O., Udoh E., *et al.* (2006) Outcome of tension-free vaginal tape procedure when complicated by intraoperative cystotomy. *American Journal of Obstetrics and Gynecology* **195** (6), 1857–1861.
- Lee K.-S., Han D. H., Choi Y. S., *et al.* (2007) A prospective trial comparing tension-free vaginal tape and transobturator vaginal tape inside-out for the surgical treatment of female stress urinary incontinence: 1-year followup. *Journal of Urology* **177** (1), 214–218.
- Lim J. L., Cornish A. & Carey M. P. (2006) Clinical and quality-of-life outcomes in women treated by the TVT-O procedure. *British Journal of Obstetrics and Gynaecology* **113** (11), 1315–1320.
- Marinkovic S. P. (2006) Adjusting bladder neck sling length to maximise same-day voiding. *British Journal of Obstetrics and Gynaecology* **113** (11), 1092–1095.
- Meschia M., Pifarotti P., Bernasconi F., *et al.* (2006) A tension-free vaginal tape (TVT) and intravaginal slingplasty (IVS) for stress urinary incontinence: a multicenter randomized trial. *American Journal of Obstetrics and Gynecology* **195** (5), 1338–1342.
- Meschia M., Pifarotti P., Bernasconi F., *et al.* (2007) Porcine skin collagen implants to prevent anterior vaginal wall prolapse recurrence: a multicenter, randomized study. *Journal of Urology* **177** (1), 192–195.
- Miller J.-J. R., Botros S. M., Akl M., *et al.* (2006) Is transobturator tape as effective as tension-free vaginal tape in patients with borderline maximum urethral closure pressure? *American Journal of Obstetrics and Gynecology* **195** (6), 1799–1804.
- Morey A. F. (2006) Trauma, and genital and urethral reconstruction. *Journal of Urology* **176** (4), 1477–1479.
- Morgan D. M., Dunn R. L., Fenner D. E., *et al.* (2007) Comparative analysis of urinary incontinence severity after autologous fascia pubovaginal sling, pubovaginal sling and tension-free vaginal tape. *Journal of Urology* **177** (2), 604–609.
- Paraiso M. F. R., Barber M. D., Muir T. W., *et al.* (2006) Rectocele repair: a randomized trial of three surgical techniques including graft augmentation. *American Journal of Obstetrics and Gynecology* **195** (6), 1762–1771.
- Persson P., Wijma K., Hammar M., *et al.* (2006) Psychological wellbeing after laparoscopic and abdominal hysterectomy – a randomised controlled multicentre study. *British Journal of Obstetrics and Gynaecology* **113** (11), 1023–1030.
- Petros P. E. P., Richardson P. A., Goeschen K., *et al.* (2006) The Tissue Fixation System provides a new structural method for cystocele repair: a preliminary report. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **46** (6), 474–478.
- Pianezza M. L., Joffe R., Chugh T. & Radomski S. B. (2007) Long-term patient satisfaction following cadaveric pubovaginal sling incontinence surgery using the UDI and IIQ-7 questionnaires. *Neurourology and Urodynamics* **26** (2), 185–189.
- Rahn D. D., Marinis S. I., Schaffer J. I., *et al.* (2006) Anatomical path of the tension-free vaginal tape: reassessing current teachings. *American Journal of Obstetrics and Gynecology* **195** (6), 1809–1813.
- Roenneburg M. L., Genadry R. & Wheelless C. R., Jr (2006) Repair of obstetric vesicovaginal fistulas in Africa. *American Journal of Obstetrics and Gynecology* **195** (6), 1748–1752.
- Rogers R. G., Lebkuchner U., Kammerer-Doak D. N., *et al.* (2006) Obesity and retropubic surgery for stress incontinence: is there really an increased risk of intraoperative complications? *American Journal of Obstetrics and Gynecology* **195** (6), 1794–1798.
- Roovers J. P. W. R., van Laar J. O. E. H., Loffeld C., *et al.* (2007) Does urodynamic investigation improve outcome in patients undergoing prolapse surgery? *Neurourology and Urodynamics* **26** (2), 170–175.
- Seow K. M., Tsou C. T., Lin Y. H., *et al.* (2006) Outcomes and complications of laparoscopically assisted vaginal hysterectomy. *International Journal of Gynecology and Obstetrics* **95** (1), 29–34.
- Shukla A., Paul S. K., Nishtar A. & Bibby J. (2006) Factors predictive of voiding problems following insertion of tension-free vaginal tape. *International Journal of Gynecology and Obstetrics* **96** (2), 122–126.
- Simsiman A. J., Lubner K. M. & Menefee S. A. (2006) Vaginal paravaginal repair with porcine dermal reinforcement: correction of

- advanced anterior vaginal prolapse. *American Journal of Obstetrics and Gynecology* **195** (6), 1832–1836.
- Sung V. W., Rogers M. L., Myers D. L., *et al.* (2006) Impact of hospital and surgeon volumes on outcomes following pelvic reconstructive surgery in the United States. *American Journal of Obstetrics and Gynecology* **195** (6), 1778–1783.
- Tan E., Tekkis P. P., Julie Cornish J., *et al.* (2007) Laparoscopic versus open colposuspension for urodynamic stress incontinence. *Neurourology and Urodynamics* **26** (2), 158–169.
- Tincello D. G. (2006) Open or laparoscopic colposuspension for stress incontinence: new evidence too late? *British Journal of Obstetrics and Gynaecology* **113** (11), 985–987.
- Vassallo B. J., Culpepper C. D. O., Segal J. L., *et al.* (2006) A randomized trial comparing methods of vaginal cuff closure at vaginal hysterectomy and the effect on vaginal length. *American Journal of Obstetrics and Gynecology* **195** (6), 1805–1808.
- Yamada B. S., Govier F. E., Stefanovic K. B., *et al.* (2006) High rate of vaginal erosions associated with the Mentor ObTape[®]. *Journal of Urology* **176** (2), 651–654.
- ## Bladder dysfunction
- Amundsen C. L., Parsons M., Cardozo L., *et al.* (2006) Bladder diary volume per void measurements in detrusor overactivity. *Journal of Urology* **176** (6), 2530–2534.
- Armstrong S. M., Miller J. M., Benson K., *et al.* (2006) Revisiting reliability of quantified perineal ultrasound: Bland and Altman analysis of a new protocol for the rectangular coordinate method. *Neurourology and Urodynamics* **25** (7), 731–738.
- Avery K. N. L., Bosch J. L. H. R., Gotoh M., *et al.* (2007) Questionnaires to assess urinary and anal incontinence: review and recommendations. *Journal of Urology* **177** (1), 39–49.
- Beckford-Ball J. (2006) Management of suspected bacterial urinary tract infection. *Nursing Times* **102** (36), 25–26.
- Berger R. E. (2007) Infection and inflammation of the genitourinary tract. *Journal of Urology* **177** (3), 976–978.
- Bertalanffy P., Kober A., Andel H., *et al.* (2006) Active warming as emergency interventional care for the treatment of pelvic pain. *British Journal of Obstetrics and Gynaecology* **113** (11), 1031–1034.
- Blaivas J. G., Panagopoulos G., Weiss J. P., *et al.* (2007) The Urgency Perception Score: validation and test–retest. *Journal of Urology* **177** (1), 199–202.
- Bower W. F., Sit F. K. Y. & Yeung C. K. (2006) Nocturnal enuresis in adolescents and adults is associated with childhood elimination symptoms. *Journal of Urology* **176** (4, Suppl. 1), 1771–1775.
- Cam C., Sakalli M., Ay P., Cam M. & Karateke C. (2007) Validation of the short forms of the incontinence impact questionnaire (IIQ-7) and the urogenital distress inventory (UDI-6) in a Turkish population. *Neurourology and Urodynamics* **26** (1), 129–133.
- Cardozo L. (2007) A review of medical management of the overactive bladder syndrome. *British Journal of Obstetrics and Gynaecology* **113** (Suppl. 3), 1–7.
- Casanova N. E., McGuire E. & Fenner D. E. (2006) Botulinum toxin: a potential alternative to current treatment of neurogenic and idiopathic urinary incontinence due to detrusor overactivity. *International Journal of Gynecology and Obstetrics* **96** (1), 305–311.
- Chapple C. R. (2007) The contemporary pharmacological management of overactive bladder. *British Journal of Obstetrics and Gynaecology* **113** (Suppl. 2), 19–28.
- Coyne K. S., Matza L. S., Thompson C., Jumadilova Z. & Bavendam T. (2007) The responsiveness of the OAB-q among OAB patient subgroups. *Neurourology and Urodynamics* **26** (2), 196–203.
- Docherty B. (2006) Fluid-balance monitoring as part of track and trigger. *Nursing Times* **102** (45), 28–29.
- Donaldson M. M. K., Thompson J. R., Matthews R. J., Dallosso H. M. & McGrother C. W. for the Leicestershire MRC Incontinence Study Group (2006) The natural history of overactive bladder and stress urinary incontinence in older women in the community: a 3-year prospective cohort study. *Neurourology and Urodynamics* **25** (7), 709–716.
- Fader M., Glickman S., Hagggar V., *et al.* (2007) Intravesical atropine compared to oral oxybutynin for neurogenic detrusor overactivity: a double-blind, randomized crossover trial. *Journal of Urology* **177** (1), 208–213.
- Gustafsson C., Ekström A., Brismar S., *et al.* (2006) Urinary incontinence after hysterectomy – three-year observational study. *Urology* **68** (4) 769–774.
- Green S. A., Alon A., Ianus J., *et al.* (2006) Efficacy and safety of a neurokinin-1 receptor antagonist in postmenopausal women with overactive bladder with urge urinary incontinence. *Journal of Urology* **176** (6), 2535–2540.

- Harris S. S., Link C. L., Tennstedt S. L., *et al.* (2007) Care seeking and treatment for urinary incontinence in a diverse population. *Journal of Urology* **177** (2), 680–684.
- Hirst G. R., Watkins A. J., Guerrero K., *et al.* (2007) Botulinum toxin B is not an effective treatment of refractory overactive bladder. *Urology* **69** (1), 69–73.
- Huang A. J., Thom D. H., Kanaya A. M., *et al.* (2006) Urinary incontinence and pelvic floor dysfunction in Asian-American women. *American Journal of Obstetrics and Gynecology* **195** (5), 1331–1337.
- Kamo I., Kaiho Y., Canon T. W., *et al.* (2006) Functional analysis of active urethral closure mechanisms under sneeze induced stress condition in a rat model of birth trauma. *Journal of Urology* **176** (6), 2711–2715.
- Karsenty G., Elzayat E., Delapparent T., *et al.* (2007) Botulinum toxin type A injections into the trigone to treat idiopathic overactive bladder do not induce vesicoureteral reflux. *Journal of Urology* **177** (3), 1011–1014.
- Kelleher C. & Cortes E. (2007) Defining success in overactive bladder management: the importance of patient-focused outcomes. *British Journal of Obstetrics and Gynaecology* **113** (Suppl. 2), 9–18.
- Kenton K., FitzGerald M. P. & Brubaker L. (2006) What is a clinician to do – believe the patient or her urinary diary? *Journal of Urology* **176** (2), 633–635.
- Lewis J. B., Ng A. V., O'Connor C. R. & Guralnick M. L. (2007) Are there differences between women with urge predominant and stress predominant mixed urinary incontinence? *Neurourology and Urodynamics* **26** (2), 204–207.
- Madill S. J. & McLean L. (2006) Relationship between abdominal and pelvic floor muscle activation and intravaginal pressure during pelvic floor muscle contractions in healthy continent women. *Neurourology and Urodynamics* **25** (7), 722–730.
- Magnall J., Vickerman J. & Taylor P. (2006) Exploring continence care provision in nursing homes. *Nursing Times* **102** (47), 46–47.
- Michel M. C., Oelke M., Goepel M., Beck E. & Burkart M. (2007) Relationships among symptoms, bother, and treatment satisfaction in overactive bladder patients *Neurourology and Urodynamics* **26** (2), 190–195.
- Milsom I. (2007) Overactive bladder: current understanding and future issues. *British Journal of Obstetrics and Gynaecology* **113** (Suppl. 2), 2–8.
- Minardi, D., Piloni V., Amadi A., *et al.* (2007) Correlation between urodynamics and perineal ultrasound in female patients with urinary incontinence. *Neurourology and Urodynamics* **26** (2), 176–182.
- Mueller E. R., Kenton K., Mahajan S., *et al.* (2007) Urodynamic prolapse reduction alters urethral pressure but not filling or pressure flow parameters. *Journal of Urology* **177** (2), 600–603.
- Philip J., Willmott S., Owen D., Samsudin C. & Irwin P. P. (2007) A double-blind, randomized controlled trial of cystometry using saline versus 0.3 M potassium chloride infusion in women with overactive bladder syndrome. *Neurourology and Urodynamics* **26** (1), 110–114.
- Podnar S. & Barbič M. (2006) Non-neurogenic urinary retention (Fowler's syndrome) in two sisters. *Neurourology and Urodynamics* **25** (7), 739–741.
- Richardson M. (2006) The urinary system. Part 1 – Introduction. *Nursing Times* **102** (40), 26–27.
- Richardson M. (2006) The urinary system. Part 2 – Anatomy of the kidneys. *Nursing Times* **102** (41), 26–27.
- Richardson M. (2006) The urinary system. Part 3 – Kidney function. *Nursing Times* **102** (42), 28–29.
- Richardson M. (2006) The urinary system. Part 4 – Bladder control and micturition. *Nursing Times* **102** (43), 26–27.
- Starkman J. S., Wolter C., Gomelsky A., *et al.* (2006) Voiding dysfunction following removal of eroded synthetic mid urethral slings. *Journal of Urology* **176** (3), 1040–1044.
- Thornton M. & Lubowski D. Z. (2006) Obstetric-induced incontinence: a black hole of preventable morbidity. *Australian and New Zealand Journal of Obstetrics and Gynaecology* **46** (6), 468–473.
- Van Ophoven A. & Hertle L. (2007) The dual serotonin and noradrenaline re-uptake inhibitor duloxetine for the treatment of interstitial cystitis: results of an observational study. *Journal of Urology* **177** (2), 552–555.
- Wein A. J. (2007) Voiding function and dysfunction, bladder physiology and pharmacology, and female urology. *Journal of Urology* **177** (3), 963–964.
- Wilkinson E. (2006) Urinary incontinence in women. *Nursing Times* **102** (48), 23–24.
- Williams D. & Moran S. (2006) Use of urinary sheaths in male incontinence. *Nursing Times* **102** (47), 42–45.
- Zini L., Lecoeur C., Swieb S., *et al.* (2006) The striated urethral sphincter of the pig shows morphological and functional characteristics essential for the evaluation of treatments for sphincter insufficiency. *Journal of Urology* **176** (6), 2729–2735.

Gynaecology

- Bain A. (2006) A nurse led gynaecology emergency service. *Nursing Times* **102** (50), 31–32.
- Barber M. D., Neubauer N. L. & Klein-Olarte V. (2006) Can we screen for pelvic organ prolapse without a physical examination in epidemiologic studies? *American Journal of Obstetrics and Gynecology* **195** (4), 942–948.
- Chedraui P., Hidalgo L., San Miguel G., *et al.* (2006) Red clover extract (MF11RCE) supplementation and postmenopausal vaginal and sexual health. *International Journal of Gynecology and Obstetrics* **96** (1), 296–297.
- Farquhar C. (2007) Endometriosis. *British Medical Journal* **334** (7587), 249–253.
- Langford C. F., Nagy S. U. & Ghoniem G. M. (2007) Levator ani trigger point injections: an underutilized treatment for chronic pelvic pain. *Neurourology and Urodynamics* **26** (1), 52–59.
- Lanham M. S. M., Lebovic D. I. & Domino S. E. (2006) Contemporary medical therapy for polycystic ovary syndrome. *International Journal of Gynecology and Obstetrics* **96** (1), 236–241.
- Ozuzu-Nwaiwu J. (2007) Black women's perceptions of menopause and the use of HRT. *Nursing Times* **103** (2), 34–35.
- Rooney K., Kenton K. M. S., Mueller E. R., *et al.* (2006) Advanced anterior vaginal wall prolapse is highly correlated with apical prolapse. *American Journal of Obstetrics and Gynecology* **195** (6), 1837–1840.
- Smith A. J., Hall D. R. & Grové D. (2006) Postmenopausal hormone therapy and quality of life. *International Journal of Gynecology and Obstetrics* **95** (3), 267–271.
- Speed C. (2007) Exercise and menstrual function. *British Medical Journal* **334** (7586), 164–165.
- Tan J. S., Lukacz E. S., Menefee S. A., *et al.* (2006) Determinants of vaginal length. *American Journal of Obstetrics and Gynecology* **195** (6), 1846–1850.

Bowel dysfunction

- Bradley C. S., Brown M. B., Cundiff G. W., *et al.* (2006) Bowel symptoms in women planning surgery for pelvic organ prolapse. *American Journal of Obstetrics and Gynecology* **195** (6), 1814–1819.
- Deffieux X., Raibaut P., Rene-Corail P., *et al.* (2006) External anal sphincter contraction during cough: not a simple spinal reflex. *Neurourology and Urodynamics* **25** (7), 782–787.

- Kyle G. (2006) Signs and symptoms of constipation: part one. *Nursing Times* **102** (47), 48–50.
- Marques da Silva G., Gurland B., Sleemi A., *et al.* (2006) Posterior vaginal wall prolapse does not correlate with fecal symptoms or objective measures of anorectal function. *American Journal of Obstetrics and Gynecology* **195** (6), 1742–1747.
- Wietek B. M., Hinninghofen H., Jehle E. C., Enck P. & Franz H. B. (2007) Asymmetric sphincter innervation is associated with fecal incontinence after anal sphincter trauma during childbirth. *Neurourology and Urodynamics* **26** (1), 134–139.

Pelvic pain

- Bogart L. M., Berry S. H. & Clemens J. Q. (2007) Symptoms of interstitial cystitis, painful bladder syndrome and similar diseases in women: a systematic review. *Journal of Urology* **177** (2), 450–456.
- Lamvu G., Williams R., Zolnoun D., *et al.* (2006) Long-term outcomes after surgical and nonsurgical management of chronic pelvic pain: one year after evaluation in a pelvic pain specialty clinic. *American Journal of Obstetrics and Gynecology* **195** (2), 591–598.

Sexual dysfunction

- Bhasin S., Enzlin P., Coviello A. & Basson R. (2007) Sexual dysfunction in men and women with endocrine disorders. *Lancet* **369** (9561), 597–611.
- Rees P. M., Fowler C. J. & Maas C. P. (2007) Sexual function in men and women with neurological disorders. *Lancet* **369** (9560), 512–525.
- Sand P. K., Goldberg R. P., Dmochowski R. R., *et al.* (2006) The impact of the overactive bladder syndrome on sexual function: a preliminary report from the Multicenter Assessment of Transdermal Therapy in Overactive Bladder with Oxybutynin trial. *American Journal of Obstetrics and Gynecology* **195** (6), 1730–1735.
- Seftel A. (2006) Male and female sexual function and dysfunction; andrology. *Journal of Urology* **176** (4), 1546–1548.
- Shabsigh R. & Stone B. (2006) Understanding the needs and objectives of erectile dysfunction patients. *World Journal of Urology* **24** (6), 618–622.
- Shabsigh R., Anastasiades A., Cooper K. L. & Rutman M. P. (2006) Female sexual dysfunction, voiding symptoms and depression: common findings in partners of men with erectile dysfunction. *World Journal of Urology* **24** (6), 653–656.

- Stadler T., Bader M., Uckert S., *et al.* (2006) Adverse effects of drug therapies on male and female sexual function. *World Journal of Urology* **24** (6), 623–629.
- Trowbridge E. R., Morgan D., Trowbridge M. J., *et al.* (2006) Sexual function, quality of life, and severity of anal incontinence after anal sphincteroplasty. *American Journal of Obstetrics and Gynecology* **195** (6), 1753–1757.
- Uckert S., Mayer M. E., Jonas U. & Stief C. G. (2006) Potential future options in the pharmacotherapy of female sexual dysfunction. *World Journal of Urology* **24** (6), 630–638.
- Urwitz-Lane R. & Ozel B. (2006) Sexual function in women with urodynamic stress incontinence, detrusor overactivity, and mixed urinary incontinence. *American Journal of Obstetrics and Gynecology* **195** (6), 1758–1761.
- ### Male incontinence
- Anderson R. U., Wise D., Sawyer T., *et al.* (2006) Sexual dysfunction in men with chronic prostatitis/chronic pelvic pain syndrome: improvement after trigger point release and paradoxical relaxation training. *Journal of Urology* **176** (4), 1534–1539.
- Basta A. M., Blackmore C. C. & Wessells H. (2007) Predicting urethral injury from pelvic fracture patterns in male patients with blunt trauma. *Journal of Urology* **177** (2), 571–575.
- Botros S. M., Miller J.-J. R., Goldberg R. P., *et al.* (2007) Detrusor overactivity and urge urinary incontinence following trans obturator versus midurethral slings. *Neurourology and Urodynamics* **26** (1), 42–45.
- Fader M., Macaulay M., Pettersson L., Brooks R. & Cottenden A. (2006) Multi-centre evaluation of absorbent products for men with light urinary incontinence. *Neurourology and Urodynamics* **25** (7), 689–695.
- Giubilei G., Mondaini N., Minervini A., *et al.* (2007) Physical activity of men with chronic prostatitis/chronic pelvic pain syndrome not satisfied with conventional treatments – could it represent a valid option? The physical activity and male pelvic pain trial: a double-blind, randomized study. *Journal of Urology* **177** (1), 159–165.
- Gregori A., Simonato A., Lissiani A., *et al.* (2006) Transrectal ultrasound guided implantation of the ProACT adjustable continence therapy system in patients with post-radical prostatectomy stress urinary incontinence: a pilot study. *Journal of Urology* **176** (5), 2109–2113.
- Helfand B., Mouli S., Dedhia R., *et al.* (2006) Management of lower urinary tract symptoms secondary to benign prostatic hyperplasia with open prostatectomy: results of a contemporary series. *Journal of Urology* **176** (6), 2557–2561.
- Jacobsen N.-E. B., Moore K. N., Estey E., *et al.* (2007) Open versus laparoscopic radical prostatectomy: a prospective comparison of post-operative urinary incontinence rates. *Journal of Urology* **177** (2), 615–619.
- Kaplan S. A. (2007) Benign prostatic hyperplasia. *Journal of Urology* **177** (3), 1055–1057.
- Lee J., Hersey K., Lee C. T., *et al.* (2006) Climacturia following radical prostatectomy: prevalence and risk factors. *Journal of Urology* **176** (6), 2562–2565.
- Soliman S. A., Wadie B. S., Ibrahim E.-H. E., *et al.* (2007) Rotoresection versus transurethral resection of the prostate: short-term evaluation of a prospective randomized study. *Journal of Urology* **177** (3), 1036–1039.
- Twiss C. O., Fischer M. C. & Nitti V. W. (2007) Comparison between reduction in 24-hour pad weight, International Consultation on Incontinence-Short Form (ICIQ-SF) score, International Prostate Symptom Score (IPSS), and Post-Operative Patient Global Impression of Improvement (PGI-I) score in patient evaluation after male perineal sling. *Neurourology and Urodynamics* **26** (1), 8–13.
- Wille S., Heidenreich A., Hofmann R. & Engelmann U. (2007) Preoperative erectile function is one predictor for post prostatectomy incontinence. *Neurourology and Urodynamics* **26** (1), 140–143.
- ### Miscellaneous
- Baumann P., Schild C., Hume R. F. & Sokol R. J. (2006) Alcohol abuse – a persistent preventable risk for congenital anomalies. *International Journal of Gynecology and Obstetrics* **95** (1), 66–72.
- Garcia-Moreno C., Jansen H. A., Ellsberg M., Heise L. & Watts C. H. on behalf of the WHO Multi-Country Study on Women's Health and Domestic Violence Against Women Study Team (2006) Prevalence of intimate partner violence: findings from the WHO multi-country study on women's health and domestic violence. *Lancet* **368** (9543), 1260–1269.
- Lemack G. E., Amundsen C., Badlani G., *et al.* (2007) Highlights from the Combined Society of Urodynamics and Female Urology, and International Society of Pelvic Neuromodulation Annual Meeting. *Journal of Urology* **177** (2), 691–695.
- Poole K. E. S. & Compston J. E. (2006) Osteoporosis and its management. *British Medical Journal* **333** (7581), 1251–1256.
- Siegel C. (2007) Imaging. *Journal of Urology* **177** (3), 1057–1058.

Wilkinson E. (2006) The implications of reusing single use medical devices. *Nursing Times* **102** (45), 23–24.

Wright J. L., Nathens A. B., Rivara F. P., *et al.* (2006) Specific fracture configurations predict sexual and excretory dysfunction in men and women 1 year after pelvic fracture. *Journal of Urology* **176** (4), 1540–1545.

Paediatrics

Humphreys M. R., Vandersteen D. R., Slezak J. M., *et al.* (2006) Preliminary results of sacral neuromodulation in 23 children. *Journal of Urology* **176** (5), 2227–2231.

Nevéus T., von Gontard A., Hoebeke P., *et al.* (2007) The standardization of terminology of lower urinary tract function in children and adolescents: report from the standardization committee of the International Children's Continence Society (ICCS). *Neurourology and Urodynamics* **26** (1), 90–102.

Rubin G. & Dale A. (2006) Chronic constipation in children. *British Medical Journal* **333** (7577), 1051–1055.

Oncology

Coombes R., Kilburn L., Snowdon C., *et al.* (2007) Survival and safety of exemestane

versus tamoxifen after 2–3 years' tamoxifen treatment (Intergroup Exemestane Study): a randomised controlled trial. *Lancet* **369** (9561), 559–570.

Moss S. M., Cuckle H., Evans A., *et al.* (2006) Effect of mammographic screening from age 40 years on breast cancer mortality at 10 years' follow-up: a randomised controlled trial. *Lancet* **368** (9552), 2053–2060.

Smith I., Procter M., Gelber R. D., *et al.* (2007) 2-year follow-up of trastuzumab after adjuvant chemotherapy in HER2-positive breast cancer: a randomised controlled trial. *Lancet* **369** (9555), 29–36.

Women's health physical therapy

Fair S. (2007) A comparison of the aerobic capacity wellness of female and male physical therapist members of the American Physical Therapist Association. *Journal of Women's Health Physical Therapy* **31** (1), 6–10.

Dockter M., Kolstad A. M., Martin K. A. & Schiwal L. J. (2007) Prevalence of urinary incontinence: a comparative study of collegiate female athletes and non-athletic controls. *Journal of Women's Health Physical Therapy* **31** (1), 12–17.